

Server Option Compatibility & Pricing – Maximum number of options supported, where available, is listed instead of “✓” mark.

Option	Description	List Price	Discount Category	Ultra Enterprise Servers						Ultra Enterprise Clusters (HA & PDB)				
				150	3000	4000	5000	6000	10000	E2	3000	4000	5000	6000
E150–UBA1–CB	Enterprise 150 Tower System Enclosure	\$13,045	A	✓										
E150–UBA1R–CB	Enterprise 150 Rack Ready System Enclosure	\$13,045	A	✓										
E3001	Enterprise 3000 Server Base Package, Tower Enclosure.	\$11,000	A		✓									
E4001	Enterprise 4000 Server Base Package, Stand-alone Enclosure.	\$42,000	A			✓								
E5001	Enterprise 5000 Server Base Package.	\$57,000	A				✓							
E6001	Enterprise 6000 Server Base Package.	\$175,000	A					✓						
E10000	Enterprise 10000 Server Base Package.	\$190,000	A						✓					
E10000–SW–AP	Enterprise 10000 software for Alternative Pathing (AP).	N/C	–						✓					
E10000–SW–SSP	Enterprise 10000 software for the System Service Processor (SSP).	N/C	–						✓					
JST–ENT	Factory-installed JumpStart Boot Image on internal disk drive of Ultra Enterprise X000 servers <i>NOTE: Does not work with SPARCstorage Array subsystems and cannot be used in systems in which the Array is the only mass storage device.</i>	N/C	–		✓	✓	✓	✓						
X311L	Localized power cord kit, North American/Asian (server country kit)	N/C	–	✓	✓	✓					✓	✓		
X322A	17” color monitor, TurboGX frame buffer, cable	\$2,950	A	✓	4	4	4	4			8	8	8	8
(X)359A	20” color monitor, TurboGX frame buffer, cable <i>NOTE: Requires Solaris 2.3 or higher.</i>	\$3,950	A	✓	4	4	4	4			8	8	8	8
(X)367A	20” color monitor, TurboGXplus frame buffer and cables	\$4,950	A	✓	4	4	4	4		✓	8	8	8	8
X467A	MII to AUI Converter Cable	\$295	A	✓										
(X)595A	25 MB/sec. Fibre Channel Optical Module	\$600	A		✓	✓	✓	✓						
(X)845A	14GB 8mm tape drive for SPARCstorage Library Model 8/140. <i>NOTE: Requires Solaris 2.3 or higher.</i>	\$3,000	A	Order with SPARCstorage Library Model 8/140										
(X)847A	140GB 8mm SPARCstorage Library Model 8/140, tower version, with 2-meter 50–50 pin SCSI cable. <i>NOTE: Requires Solaris 2.3 or higher; requires Solstice Backup 4.1.2, the Turbo Module and the 1–16 slot capacity Jukebox Software Module License to run in a random-access mode and to access the bar-code reader functions.</i>	\$8,800	A*	✓										

* Maximum discount may apply.

This is not an official Price List. Please consult the official Price Lists, or contact your Sun Sales Representative or Authorized Reseller before placing an order.

Server Option Compatibility & Pricing (continued) – Maximum number of options supported, where available, is listed instead of “✓” mark.

Option	Description	List Price	Discount Category	Ultra Enterprise Servers						Ultra Enterprise Clusters (HA & PDB)				
				150	3000	4000	5000	6000	10000	E2	3000	4000	5000	6000
X867A	SPARCstorage Library Model 8/140, tower version, with two 14GB 8mm tape drives, bar code reader, and 2-meter 50–50 pin SCSI cable. NOTE: Requires Solaris 2.3 or higher; requires Solstice Backup 4.1.2, the Turbo Module and the 1–16 slot capacity Jukebox Software Module License to run in a random-access mode and to access the bar-code reader functions.	\$12,800	A	✓	4	4								
(X)902A	2-meter, 68-pin external SCSI cable	\$125	N/D			✓	✓	✓						
X952A	Caster Base for Enterprise 4000 server.	\$850	A			✓								
X953A	Locking Modules for Enterprise 4000 server.	\$125	A			✓								
(X)954A	Power/Cooling Module, 300W.	\$1,800	A		✓	✓	✓	✓						
X956A	56" Enterprise Expansion Cabinet. Includes cabinet fan tray, universal sequencer, one control cable, no inltet power cable.	\$8,000	A	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
(X)958A	Peripheral Power Supply, 184W.	\$1,500	A		✓									
X968A	Floor Brackets for Ultra Enterprise 3000 Server	\$100	A		✓						✓			
X972A	Rack-Mount Rails for Ultra Enterprise 4000 Server	\$450	A			✓						✓		
X974A	Serial Asynchronous Connectors – 16-port shielded rack-mountable patch panel with female DB25 RS232 connectors, full modem control, rack-mounting accessories.	\$750	A	(Use with X2064A Network Terminal Server only.)										
X975A	IBM-compatible Parallel Port Aapter Cable	\$95	B	✓										
X976A	Centronics-compatible Parallel Port Aapter Cable	\$75	B	✓										
(X)977A	0.25 meter differential SCSI expansion cable	\$125	N/D				✓	✓						
X979A	12-meter differential SCSI expansion cable.	\$265	N/D											
X981A	AUI Aapter Cable	\$75	B	✓										
X985A	Serial Port Splitter Cable	\$50	N/D	✓										
(X)1008A	SBus serial parallel controller (SPC/S)	\$1,095	A	✓						✓				
X1012A	Sun ISDN Expansion Kit 1.0.1 NOTE: Requires Solaris 2.3 or higher. In North America, a Network Termination (NT1) device is required; available from third-party vendors.	\$595	A	✓	5	5	5	5	5	✓	10	10	10	10

Server Option Compatibility & Pricing (continued) – Maximum number of options supported, where available, is listed instead of “✓” mark.

Option	Description	List Price	Discount Category	Ultra Enterprise Servers						Ultra Enterprise Clusters (HA & PDB)				
				150	3000	4000	5000	6000	10000	E2	3000	4000	5000	6000
(X)1014A	Token Ring Interface/SBus (TRI/S) SBus-based Token Ring adapter, TCP/IP driver software on CD-ROM and 3.5” diskette media, and documentation <u>NOTE:</u> Requires Solaris 2.2 or higher.	\$1,350	B	✓	4	4	4	4	4	✓	8	8	8	8
X1018A	SunSwift SBus Adapter <u>NOTE:</u> Requires 2.5 or later.	\$1,095	A	✓	9	15	15	15	15	✓	18	30	30	30
(X)1019A	High-Speed Serial Interface (HSI/S), media and documentation <u>NOTE:</u> Requires Solaris 2.2 or higher.	\$2,275	B	✓	4	4	4	4	4	✓	8	8	8	8
X1021A	SBus Prestoserve NFS Accelerator	\$2,995	A	✓										
X1025A	SunFDDI Single-Attach SBus Adapter (SAS) 5.0 <u>NOTE:</u> Requires Solaris 2.5 or later.	\$2,500	A	✓	3	3	3	3	15	✓	12	12	12	6
X1026A	SunFDDI Dual-Attach SBus Adapter (DAS) 5.0 <u>NOTE:</u> Requires Solaris 2.5 or later.	\$3,775	A	✓	4	8	8	15	5	✓	8	8	8	30
X1030A	PCMCIA Interface/SBus Card	\$295	A	✓										
X1052A	SBus Fast Differential SCSI-2/Buffered Ethernet Card (DSBE/S)	\$1,095	A		9	21	21	45	64		42	42	42	90
(X)1053A	SBus Fast SCSI-2/Buffered Ethernet Card (FSBE/S)	\$1,095	A	✓	9	15	15	15	15	✓	30	30	30	30
(X)1054A	SBus SCSI/Buffered Ethernet Card (SBE/S)	\$1,095	A	✓						✓				
(X)1055A	SBus SCSI Host Adapter	\$495	A	✓										
(X)1057A	25 MB/sec. SBus Fibre Channel Host Adapter	\$1,600	A		✓	✓	✓	✓						
(X)1058A	SBus Quad Ethernet Controller <u>NOTE:</u> Requires Solaris 2.3 or higher.	\$995	A	✓	8	8	8	8	8	✓	16	32	32	32
X1059A	SunFastEthernet 10/100 SBus Adapter 2.0 SBus Card, and Solaris 1.x driver <u>NOTE:</u> Requires 1.1.2 or Solaris 2.5 or later.	\$795	A	✓	9	15	15	15	20	✓	18	30	30	30
X1060A	SunATM-155/MFiber SBus Adapter 2.0 <u>NOTE:</u> Requires 2.4, Hardware: 11/94 or later.	\$1,295	A	✓	9	15	15	15	15	✓	18	30	30	30
X1061A	SunATM/UTP5 SBus Adapter 2.0 <u>NOTE:</u> Requires 2.4, Hardware: 11/94 or later.	\$995	A	✓	9	15	15	15	15	✓	18	30	30	30
(X)1062A	SBus Differential Fast/Wide Intelligent SCSI-2 host adapter (DWIS/S) <u>NOTES:</u> Requires Solaris 2.3 or higher. To connect 2 SCSI trays or two 4.2GB disk cards, you must order DSCSI cable X977A.	\$1,295	A	✓	9	21	21	45	63	✓	18	42	42	90

Server Option Compatibility & Pricing (continued) – Maximum number of options supported, where available, is listed instead of “✓” mark.

Option	Description	List Price	Discount Category	Ultra Enterprise Servers						Ultra Enterprise Clusters (HA & PDB)				
				150	3000	4000	5000	6000	10000	E2	3000	4000	5000	6000
(X)1063A	SBus Single-Ended Fast/Wide Intelligent SCSI-2 Host Adapter (SWIS/S) card NOTES: Supported only with the 4.2 GB Fast Wide SCSI-2 Disk Card. Requires Solaris 2.3 or higher.	\$1,195	A	✓	9	15	15	15	15	✓	18	30	30	30
(X)1064A	SunATM-622/MFiber SBus Adapter NOTE: Requires Solaris 2.4, Hardware: 11/94 or later.	\$4,995	A	✓	2	4	4	8	8	✓	4	8	8	16
(X)1065A	SBus Ultra Differential Fast/Wide Intelligent SCSI Host Adapter	\$1,295	A		9	15	15	15	31		18	30	30	30
X1129A-4.1-P	SunPC 133 MHz 5x86 card and SunPC 4.1 software. NOTE: Requires Solaris 2.3 or higher, OpenWindows or a Motif-based window manager, and a system with a minimum of 32MB RAM (48MB is recommended).	\$595	A	✓										
X2065A	Network Terminal Server 2.0, including Terminal Server hardware, software, and documentation. NOTE: Requires Solaris 2.3 or later.	\$6,990	A	✓	✓	✓	✓	✓						
(X)2510A	UltraSPARC module, 167 MHz, 1MB external cache.	\$12,000	A		✓	✓	✓	✓						
(X)2530A	UltraSPARC module, 250 MHz, 1MB external cache.	\$16,000	A		✓	✓	✓	✓	64					
(X)2600A	CPU/Memory Board with 2 empty CPU slots and 2 empty memory banks.	\$9,000	A		✓	✓	✓	✓						
(X)2610A	SBus I/O Board with 3 empty SBus slots, 2 empty 25 MB/sec. Fibre Channel sockets, 1 Fast/Wide SCSI interface, and one 10/100 MB/sec. Ethernet (Twisted Pair or MII) interface.	\$6,500	A		✓	✓	✓	✓						
(X)2620A	Graphics I/O Board with 1 UPA slot, 2 empty SBus slots, 2 empty 25 MB/sec. Fibre Channel sockets, 1 Fast/Wide SCSI interface, and one 10/100 MB/sec. Ethernet (Twisted Pair or MII) interface.	\$7,000	A		✓	✓	✓	✓						
(X)2720A	E10000 Control Board including Ethernet cable.	\$20,000	A						✓					
(X)2730A	E10000 Dual SBus I/O daughter card.	\$7,500	A						10					
(X)2750A	E10000 System Service Processor (SSP). Consists of SPARCstation 5 workstation with 17" color monitor, 32MB, 2.1GB internal Fast/Wide SCSI-2 disk, CD-ROM.	\$8,895	A						2					
(X)2760A	E10000 System Board with no memory, no processor modules, no I/O board.	\$60,000	A						16					
X3651A	20" color monitor, Creator 24-bit single buffered graphics accelerator, and cable.	\$4,950	A		3	4	4	4		✓	6	8	8	8

Server Option Compatibility & Pricing (continued) – Maximum number of options supported, where available, is listed instead of “✓” mark.

Option	Description	List Price	Discount Category	Ultra Enterprise Servers						Ultra Enterprise Clusters (HA & PDB)				
				150	3000	4000	5000	6000	10000	E2	3000	4000	5000	6000
X3652A	20” color monitor, Creator3D 24-bit double buffered graphics accelerator with Z Buffer for 3D solids, and cable.	\$6,950	A		3	4	4	4		✓	6	8	8	8
3800A	Power Cord for Enterprise System and Expansion Cabinets, U.S. Version (NEMA L6–30P plug)	N/C	–				✓	✓	✓				✓	✓
3848A	Power Cord for Enterprise System and Expansion Cabinets, International Version (IEC 309 plug, 32A, 250V)	N/C	–				✓	✓	✓◆				✓	✓
3850A	E10000 Power Cord, North American version.	N/C	–						4					
3851A	E10000 Power Cord, International version.	N/C	–						4					
3875A	E10000 AC Breaker/Filter Assembly	\$3,000	A						4					
X5151A ①	2.1GB 7200 RPM Fast/Wide SCSI–2 Disk UniPack with 68–68 pin SCSI cable	\$1,275	A*	✓②	4	4				✓	8	8		
X5152A ③	2.1GB 7200 RPM Fast/Wide SCSI–2 Disk UniPack with 50–68 pin SCSI cable	\$1,275	A*	✓②	4	4				✓	8	8		
X5153A	2.1GB 7200 RPM Internal Fast/Wide SCSI–2 SC Expansion Disk.	\$1,050	A*	✓	10					✓	20			
(X)5161A	4.2GB Disk Board with 2 x 2.1GB 7200 RPM Fast/Wide SCSI Disk Drives <i>NOTE: A factory-installed 2-meter 68-pin SCSI cable (902A) must be ordered when disk board is installed in Enterprise 6000 server.</i>	\$3,800	A*			4	4	2						
X5209A ①	4.2GB 7200 RPM Fast/Wide SCSI–2 Disk UniPack with 68–68 pin SCSI cable.	\$1,675	A*	✓②	4	4				✓	8	8		
X5213A ③	4.2GB 7200 RPM Fast/Wide SCSI–2 Disk UniPack with 50–68 pin SCSI cable.	\$1,675	A*	✓②	4	4				✓	8	8		
X5214A	4.2GB Internal 7200 RPM Fast/Wide SCSI–2 Disk Drive	\$1,450	A*	✓	10						20			
X5251A	9.1GB Internal 7400 RPM Fast/Wide SCSI–2 Disk Drive	\$2,320	A*	✓	6	6				✓	8	8		
X5253A ①	9.1GB 7200 RPM Fast/Wide SCSI–2 Disk UniPack with 68–68 pin SCSI cable.	\$2,545	A*	✓②	4	4				✓	8	8		

NOTES:

* Maximum discount may apply.

◆ For internal RSM trays only.

① 68–68 pin cables are required to connect a UniPack to another UniPack or to a SWIS/S Host Adapter (X1063A).

② A SWIS/S Host Adapter with Solaris 2.3 or later is required for Wide SCSI functionality.

③ 50–68 pin cables are required to connect a UniPack to a 50–pin SCSI Host Adapter or to a Desktop Storage or Disk Pack.

This is not an official Price List. Please consult the official Price Lists, or contact your Sun Sales Representative or Authorized Reseller before placing an order.

Server Option Compatibility & Pricing (continued) – Maximum number of options supported, where available, is listed instead of “✓” mark.

Option	Description	List Price	Discount Category	Ultra Enterprise Servers						Ultra Enterprise Clusters (HA & PDB)				
				150	3000	4000	5000	6000	10000	E2	3000	4000	5000	6000
X5254A ③	9.1GB 7200 RPM Fast/Wide SCSI–2 Disk UniPack with 50–68 pin SCSI cable.	\$2,545	A*	✓②	4	4				✓	8	8		
X5504A	18.2GB (2 x 9.1GB) 7200 RPM SCSI–2 SPARCstorage MultiPack NOTE: Requires Solaris 2.3 or higher.	\$5,640	A*	✓	6	6					8	8		
X5505A	36.4GB (4 x 9.1GB) 7200 RPM SCSI–2 SPARCstorage MultiPack NOTE: Requires Solaris 2.3 or higher.	\$10,280	A*	✓	6	6					8	8		
X5506A	54.6GB (6 x 9.1GB) 7200 RPM SCSI–2 SPARCstorage MultiPack NOTE: Requires Solaris 2.3 or higher.	\$14,920	A*	✓	6	6					8	8		
X5511A ①④	4.2GB (2 x 2.1GB) 7200 RPM SCSI–2 SPARCstorage MultiPack with 68–68 pin SCSI cable. NOTE: Requires Solaris 2.3 or higher.	\$3,100	A*	✓	6	6				✓	8	8		
X5512A ①④	12.6GB (6 x 2.1GB) 7200 RPM SCSI–2 SPARCstorage MultiPack with 68–68 pin SCSI cable. NOTE: Requires Solaris 2.3 or higher.	\$7,300	A*	✓	6	6				✓	8	8		
X5513A ①④	25.2GB (12 x 2.1GB) 7200 RPM SCSI–2 SPARCstorage MultiPack with 68–68 pin SCSI cable. NOTE: Requires Solaris 2.3 or higher.	\$13,600	A*	✓	6	6				✓	8	8		
X5514A	8.4GB (2 x 4.2GB) 7200 RPM SCSI–2 SPARCstorage MultiPack NOTE: Requires Solaris 2.3 or higher.	\$3,900	A*	✓	6	6					8	8		
X5515A	25.2GB (6 x 4.2GB) 7200 RPM SCSI–2 SPARCstorage MultiPack NOTE: Requires Solaris 2.3 or higher.	\$9,700	A*	✓	6	6					8	8		
X5516A	50.4GB (12 x 4.2GB) 7200 RPM SCSI–2 SPARCstorage MultiPack NOTE: Requires Solaris 2.3 or higher.	\$18,400	A*	✓	6	6					8	8		
X6051A	SPARCstorage DLT4000 tape drive in external desktop enclosure with 50–50 pin SCSI cable. NOTE: Requires Solaris 2.4 or higher.	\$7,100	A	✓	4	4				✓	8	8		
X6052A ③	SPARCstorage DLT4000 tape drive in external desktop enclosure with 50–68 pin SCSI cable. NOTE: Requires Solaris 2.4 or higher.	\$7,100	A	✓	4	4				✓	8	8		

NOTES:

* Maximum discount may apply.

① 68–68 pin cables are required to connect a UniPack to another UniPack or to a SWIS/S Host Adapter (X1063A).

② A SWIS/S Host Adapter with Solaris 2.3 or later is required for Wide SCSI functionality.

③ 50–68 pin cables are required to connect a UniPack to a 50–pin SCSI Host Adapter or to a Desktop Storage or Disk Pack.

④ A SWIS/S Host Adapter may be required in order to address SCSI ID 8 and above; or when ordering an internal CD–ROM or second internal disk drive.

This is not an official Price List. Please consult the official Price Lists, or contact your Sun Sales Representative or Authorized Reseller before placing an order.

Server Option Compatibility & Pricing (continued) – Maximum number of options supported, where available, is listed instead of “✓” mark.

Option	Description	List Price	Discount Category	Ultra Enterprise Servers						Ultra Enterprise Clusters (HA & PDB)				
				150	3000	4000	5000	6000	10000	E2	3000	4000	5000	6000
(X)6055A	20–40GB SPARCstorage DLT4000 internal drive for Multi–Tape Backup Tray.	\$6,500	A	✓	12	12	12	12	12	✓	24	24	24	24
(X)6056A ③	20–40GB SPARCstorage DLT4000 Tape Drive with 4–meter 50–68 pin SCSI cable.	\$8,500	A		4	4	4	4	4	✓	8	8	8	8
X6071A	SPARCstorage DLT4700 tape autoloader in external desktop enclosure with both 50–50 and 50–68 pin SCSI cables. NOTE: Requires Solaris 2.4 or higher.	\$16,000	A	✓	4	4	8	8	8	✓	8	8	16	16
X6072A	1TB Enterprise Tape Library ETL 4/1000, Floor Standing Unit. NOTES: Requires Solaris 2.5 or greater, Solstice Backup 4.2, the Turbo Module and the 1–64 slot capacity Jukebox Software Module to run in a random access mode and to access the bar–code reader functions. Requires DWIS/S Host Adapter.	\$85,000	A	✓	2	2	4	4	4		2	2	4	4
X6101A ①	2.5GB QIC Tape UniPack with 68–68 pin SCSI cable	\$1,125	A	✓	4	4				✓	8	8		
X6102A ③	2.5GB QIC Tape UniPack with 50–68 pin SCSI cable	\$1,125	A	✓	4	4				✓	8	8		
(X)6104A	Internal 2.5GB 1/4–inch Tape Drive	\$900	A		✓	✓	✓	✓			✓	✓	✓	✓
X6153A	SunCD 4 Internal CD–ROM drive	\$300	A	✓										
X6157A ①	SunCD 4 SPARCstorage UniPack with 68–68 pin SCSI cable NOTE: Solaris 1.1.1 or later, or Solaris 2.4 or later required.	\$525	A*	✓	4	4				✓	8	8		
X6158A ③	SunCD 4 SPARCstorage UniPack with 50–68 pin SCSI cable NOTE: Solaris 1.1.1 or later, or Solaris 2.4 or later required.	\$525	A*	✓	4	4				✓	8	8		
X6201A ①	14GB 8mm Tape UniPack with 68–68 pin SCSI cable	\$2,925	A	✓	4	4				✓	8	8		
X6202A ③	14GB 8mm Tape UniPack with 50–68 pin SCSI cable	\$2,925	A	✓	4	4				✓	8	8		
(X)6204A	14GB 8mm Internal Tape Drive for Multi–Tape Backup Tray.	\$2,700	A		12	12	12	12	12	✓	24	24	24	24
(X)6205A ③	14GB 8mm Tape Drive with 4–meter 50–68 pin SCSI cable.	\$4,700	A		4	4	4	4	4	✓	8	8	8	8

NOTES:

* Maximum discount may apply.

① 68–68 pin cables are required to connect a UniPack to another UniPack or to a SWIS/S Host Adapter (X1063A).

③ 50–68 pin cables are required to connect a UniPack to a 50–pin SCSI Host Adapter or to a Desktop Storage or Disk Pack.

This is not an official Price List. Please consult the official Price Lists, or contact your Sun Sales Representative or Authorized Reseller before placing an order.

Server Option Compatibility & Pricing (continued) – Maximum number of options supported, where available, is listed instead of “✓” mark.

Option	Description	List Price	Discount Category	Ultra Enterprise Servers						Ultra Enterprise Clusters (HA & PDB)				
				150	3000	4000	5000	6000	10000	E2	3000	4000	5000	6000
(X)6206A	Internal 14GB 8mm Tape Drive	\$2,700	A		✓	✓	✓	✓			✓	✓	✓	✓
X6221A	140GB SPARCstorage Library tape drive with 2–meter 50–68 pin SCSI cable.	\$8,800	A		4	4	9	9	9	✓	8	8	18	18
X6222A	140GB SPARCstorage Library, full configuration, with 2–meter 50–68 pin SCSI cable.	\$12,800	A		4	4	9	9	9	✓	8	8	18	18
X6223A	140GB SPARCstorage Library, 1 tape drive, stackable unit (50–68 pin SCSI cable).	\$8,800	A		4	4	4	4		2	8	8	8	8
X6224A	140GB SPARCstorage Library, full configuration, stackable unit (50–68 pin SCSI cable).	\$12,800	A		4	4	4	4		2	8	8	8	8
X6225A	400–800GB 8mm SPARCstorage Library, External Deskside Unit. NOTE: Requires Solaris 2.5 or later and DWIS/S Host Adapter. Requires Solstice Backup 4.2, the Turbo Module and the 1–64 slot capacity Jukebox Software Module License to run in a random access mode and to access the bar-code reader functions.	\$27,000	A	✓	4	4	4	4	4	2	8	8	8	8
X6226A	400–800GB 8mm SPARCstorage Library, Rack–mountable Unit. NOTE: Requires Solaris 2.5 or later and DWIS/S Host Adapter.	\$27,000	A	✓	4	4	4	4	4	✓	8	8	8	8
X6230A ①	20–40GB 8mm SPARCstorage UniPack with 68–68 pin SCSI cable. NOTE: Requires Solaris 2.5 or later.	\$7,125	A	✓②	8	8	8	8		✓	16	16	16	16
X6231A ③	20–40GB 8mm SPARCstorage UniPack with 50–68 pin SCSI cable. NOTE: Requires Solaris 2.5 or later.	\$7,125	A	✓②	8	8	8	8		✓	16	16	16	16
X6253A	4–8GB 4mm DDS–2 UniPack with 68–68 pin SCSI cable NOTE: Requires Solaris 1.1.1 or later, or Solaris 2.3 or later.	\$1,475	A	✓	4	4				✓	8	8		
X6254A	4–8GB 4mm DDS–2 UniPack with 50–68 pin SCSI cable NOTE: Requires Solaris 1.1.1 or later, or Solaris 2.3 or later.	\$1,475	A	✓	4	4				✓	8	8		
(X)6256A	4–8GB 4mm DDS–2 Internal Tape Drive	\$1,250	A	✓	✓	✓	✓	✓			✓	✓	✓	✓
X6271A	16–32GB 4mm DDS–2 Autoloader Desktop Storage Module with 50–50 pin SCSI cable. NOTE: Requires Solaris 1.1.1 or later, or Solaris 2.3 or later.	\$3,850	A	✓	4	4				✓	8	8		

NOTES:

- ① 68–68 pin cables are required to connect a UniPack to another UniPack or to a SWIS/S Host Adapter (X1063A).
- ② A SWIS/S Host Adapter with Solaris 2.3 or later is required for Wide SCSI functionality.
- ③ 50–68 pin cables are required to connect a UniPack to a 50–pin SCSI Host Adapter or to a Desktop Storage or Disk Pack.

This is not an official Price List. Please consult the official Price Lists, or contact your Sun Sales Representative or Authorized Reseller before placing an order.

Server Option Compatibility & Pricing (continued) – Maximum number of options supported, where available, is listed instead of “✓” mark.

Option	Description	List Price	Discount Category	Ultra Enterprise Servers						Ultra Enterprise Clusters (HA & PDB)				
				150	3000	4000	5000	6000	10000	E2	3000	4000	5000	6000
X6272A	16–32GB 4mm DDS–2 Autoloader Desktop Storage Module with 50–68 pin SCSI cable. NOTE: Requires Solaris 1.1.1 or later, or Solaris 2.3 or later.3	\$3,850	A	✓	4	4				✓	8	8		
(X)6280A [1][2]	12–24GB 4mm DDS–3 Internal Tape UniPack with 68–68 pin SCSI cable. NOTE: Requires Solaris 2.4 or later. Supported by Solstice Backup 4.2.	\$2,625	A	✓	4	4				✓	8	8		
(X)6281A [2][3]	12–24GB 4mm DDS–3 Internal Tape UniPack with 50–68 pin SCSI cable. NOTE: Requires Solaris 2.4 or later. Supported by Solstice Backup 4.2.	\$2,625	A	✓	4	4				✓	8	8		
(X)6283A	12–24GB 4mm DDS–3 Internal Tape Drive. NOTE: Requires Solaris 1.1.2 or later, or Solaris 2.4 or later. Supported by Solstice Backup 4.2.	\$2,400	A		✓	✓	✓	✓			✓	✓	✓	✓
(X)6286A	12–24GB 4mm DDS–3 Internal Tape Drive for Enterprise 150. NOTE: Requires Solaris 1.1.2 or later, or Solaris 2.4 or later. Supported by Solstice Backup 4.2.	\$2,400	A	✓										
(X)6292A	72–144GB 4mm DDS–3 Autoloader internal drive for Multi–Tape Backup Tray – E5000, E6000, and expansion rack. NOTE: Requires Solaris 1.1.2 or later, or Solaris 2.4 or later. Supported by Solstice Backup 4.2.	\$6,000	A		4	4	4	4					8	8
(X)6293A	72–144GB 4mm DDS–3 Autoloader internal drive with Multi–Tape Backup Tray. NOTE: Requires Solaris 1.1.2 or later, or Solaris 2.4 or later. Supported by Solstice Backup 4.2.	\$8,000	A		12	12	12	12			24	24	24	24
(X)7001A	32MB ECC memory expansion (2 x 16MB SIMMs)	\$800	A*	✓										
(X)7002A	64MB ECC memory expansion (2 x 32MB SIMMs)	\$1,400	A*	✓										
(X)7003A	128MB ECC memory expansion (2 x 64MB SIMMs)	\$2,700	A*	✓										
(X)7004A	256MB ECC memory expansion (2 x 128MB SIMMs)	\$12,000	A*	✓										

NOTES:

* Maximum discount may apply.

[1] 68–68 pin cables are required to connect a UniPack to another UniPack or to a SWIS/S Host Adapter (X1063A).

[2] A SWIS/S Host Adapter with Solaris 2.3 or later is required for Wide SCSI functionality.

[3] 50–68 pin cables are required to connect a UniPack to a 50–pin SCSI Host Adapter or to a Desktop Storage or Disk Pack.

This is not an official Price List. Please consult the official Price Lists, or contact your Sun Sales Representative or Authorized Reseller before placing an order.

Server Option Compatibility & Pricing (continued) – Maximum number of options supported, where available, is listed instead of “✓” mark.

Option	Description	List Price	Discount Category	Ultra Enterprise Servers						Ultra Enterprise Clusters (HA & PDB)				
				150	3000	4000	5000	6000	10000	E2	3000	4000	5000	6000
(X)7021A	64MB ECC memory expansion (8 x 8MB SIMMs)	\$2,500	A*		✓	✓	✓	✓						
(X)7022A	256MB ECC memory expansion (8 x 32MB SIMMs)	\$4,750	A*		✓	✓	✓	✓	64					
(X)7023A	1GB ECC memory expansion (8 x 128MB SIMMs)	\$48,500	A*		✓	✓	✓	✓	64					
(X)7025A	E10000 Memory Board with 4 empty memory banks.	\$10,000	A						64					
(X)7109A	17-inch Entry Color Server Console	\$1,950	A		4	4	4	4		✓	8	8	8	8
X9601A	Air Baffle for Enterprise Expansion Cabinet	\$50	A			✓								
X9602A	Enterprise Cabinet Floor Brackets	\$400	A				✓	✓	✓				✓	✓
(X)9671A	E10000 Fan Tray	\$2,000	A						16					
(X)9681A	E10000 Power Control Module with cables to Control Board.	\$1,000	A						5					
(X)9685A	E10000 48-volt Power Supply.	\$4,000	A						8					
UG-ENT-CLOCKBD	Enterprise X000 Clock Board Upgrade.	\$1,155	A		✓	✓	✓	✓						

* Maximum discount may apply.